



VACUUM CLEANERS - DUST EXTRACTORS - HEAVY TOOLINGS

GS 3/78 CYC

POWER MAX

3500_w

WATER LIFT

2230_{mmH₂O}

AIRFLOW

765_{m³/h}

TANK CAPACITY

78_l



NEW

EXCLUSIVE CHARACTERISTICS

- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ TIPPING TROLLEY
- ▶ MICROFIBER BAG
- ▶ DETACHABLE TANK AND SOLID CART
- ▶ MULTI STAGE FILTRATION
- ▶ DOUBLE STAGE MOTORS
- ▶ ELECTROSTATIC DISSIPATION

INNOVATIONS



BLACK IS GREEN™



CYCLONE

GS 3/78 CYC

COMPONENTS



Microfiber bag protects the cartridge



HEPA cartridge



Cyclone system

GS 3/78 CYC

RANGE BUILD UP

		GS 3/78 CYC
Code		ASD015516
PERFORMANCE		
Usage		DRY
Motor		3
Power	W	3400-3500 max
Voltage	V	220-240
Water lift	mmH ₂ O	2230
Airflow	m ³ /h	765
Tank Capacity/Material	l	78/steel
Cable length	m	8,5
Filtering surface	cm ²	2260
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76
Diameter of accessories	mm	50
Dimensions (LxWxH)	mm	680x620x1110
Weight	kg	33
PACKAGING		
Carton		x
Volume	m ³	0,411
Dimension	mm	580x700x1013
Weight	Kg	38

GS 3/78 CYC

ACCESSORIES

STANDARD EQUIPMENT

CODE: FTDP28843

HEPA H13 CARTRIDGE
2.260 CM²



CODE: FTDP00462

MICROFIBER BAG 12 L



CODE: TBFX01139

CONDUCTIVE FLEXIBLE
HOSE 5 M Ø50 MM



OPTIONAL ACCESSORIES

CODE: KTRI04795

MICROFIBER BAG SET OF
10 PCS



X10



IP Cleaning S.p.A.
Viale Treviso 63 - 30026 Summaga di Portogruaro - (VE) / ITALY
Tel. +39 0421 205511 - Fax +39 0421 204227
info@ipcworldwide.com - www.ipcworldwide.com