



INDUSTRIAL VACUUM CLEANER SYSTEM

NEW

GS 3 MBAG OPT MFS


Model equipped with 3 high airflow motors, easy to use thanks to the lightweight stainless steel structure and the sturdy trolley with large braking wheels. It is available with a self discharge valve and a 20 m collection bag, allowing to dispose the recovered large volume of material in full safety and avoiding direct contact with dust. The manual filter shaker as cleaning system, the H14 HEPA cartridge and the star-shaped filter allow an excellent filtration performance.

EXCLUSIVE FEATURES

- ▶ MODERN INDUSTRIAL DESIGN
- ▶ STRONG AND LIGHTWEIGHT TROLLEY WITH TOP MANEUVERABILITY ON ANY TYPE OF FLOOR
- ▶ MAXIBAG FEATURE WITH 20MT LONGOPAC
- ▶ AUTOMATIC DISCHARGE OF THE TANK
- ▶ 3 HIGH AIRFLOW MOTORS WITH TOP PERFORMANCES
- ▶ MANUAL FILTER SHAKER
- ▶ STAR SHAPED FILTER WITH LARGE SURFACE
- ▶ CONDUCTIVE INLET TO GROUND STATIC ELECTRICITY



APPLICATION PANEL



SPECS



SELF DISCHARGE VALVE WITH BEST SEALING



MANUAL FILTER SHAKER



MAIN FILTER



HEPA 14 CARTRIDGE



LONGOPAC



LARGE REAR WHEELS WITH TYRES FOR WORKING ON UNEVEN SURFACES

TECHNICAL DATA

GS 3 MBAG OPT MFS

PERFORMANCE

Usage		Dry
Motor		3
Type of motor		Single Stage
Nominal Power	W	3400
Voltage / Frequency	V / Hz	220-240 / 50-60
Waterlift	mmh ₂ O	2230
Airflow	m ³ /h	765
Tank Gross Capacity	m	20
Tank material		(LONGOPAC)
Cable length	m	8
Filtering surface	cm ²	5000+2200
Sound Pressure Level	dB(A)	76
Diameter of inlet	mm	60
Weight	kg	90
Dimensions	mm	590x590x1120/1450

STANDARD EQUIPMENT

HEPA H14 PROTECTION
CARTRIDGE



LONGOPAC 20 m BAG



CLASS M STAR-SHAPED
FILTER



FIXING SYSTEM FOR MESH
FILTER AND CARTRIDGE



OPTIONAL ACCESSORIES KIT

COMPLETE MULTIPURPOSE PREMIUM TOOL KIT 3 M Ø38 MM COMPOSED OF:

CONDUCTIVE PU FLEXIBLE HOSE 3 m Ø38 mm



PLASTIC TUBE 50 cm (MACHINE COMES WITH 2 PCS)



DOUBLE STEEL WAND Ø38 mm



FLAT LANCE Ø38 mm



ROUND BRUSH Ø38 mm



BRUSH Ø38 mm WITH INTERCHANGEABLE SLIDES



COMPLETE MULTIPURPOSE PREMIUM TOOL KIT 4 M Ø50 MM COMPOSED OF:

CONDUCTIVE PU FLEXIBLE HOSE 4 m Ø50 mm



COMPLETE ALUMINIUM DOUBLE WAND Ø50 mm



RUBBER FLAT LANCE Ø50 mm



BRISTLE BRUSH Ø50 mm



SQUEEGEE X2 PCS



COMPLETE STATIC DISSIPATIVE TOOL KIT 5 M Ø50 MM COMPOSED OF:

CONDUCTIVE FLEXIBLE HOSE 5 m Ø50 mm



COMPLETE ALUMINIUM DOUBLE WAND Ø50 mm



RUBBER FLAT LANCE Ø50 mm



BRISTLE BRUSH Ø50 mm



CONDUCTIVE KIT 2 OPERATORS Ø38/60 MM COMPOSED OF:



COMPLETE STATIC DISSIPATIVE TOOL KIT 4,5 M Ø38 MM COMPOSED OF:

CONDUCTIVE FLEXIBLE HOSE Ø38-60 WITH CUFFS 4,5 m



DOUBLE STEEL WAND Ø38 mm



BRISTLE BRUSH Ø38 mm



CHROMED FLAT LANCE Ø38 mm

