

INDUSTRIAL VACUUM CLEANER SYSTEM

NEW GS 3/50 OPT W&D MFS

Model equipped with 3 double stage motors, detachable system and modular configurations for recovering solids, dusts and liquids on large surfaces. Structure in stainless steel with 50 liter recovery tank, lightweight and easy to use trolley with large braking wheels. Manual filter cleaning system, H14 HEPA cartridge, and wide star-shaped filter allowing to reach the best filtration performances.

EXCLUSIVE FEATURES

- **MODERN INDUSTRIAL DESING**
- STRONG AND LIGHTWEIGHT **TROLLEY WITH TOP MANUVRABILITY ON ANY TYPE OF FLOOR**
- **BIG RUBBER WHEELS WITH BREAKES**
- **DIMENSION COMPATIBLE** WITH DOORS WIDTH
- **3 DOUBLE STAGE MOTORS WITH HIGHEST PERFORMANCE**
- **BEST SEALING OF THE POWERHEAD THANKS TO EXCLUSIVE BUILT-IN GASKET**
- MODULAR **CONFIGURATIONS TO COLLECT SOLID DIRECTLY IN** THE TANK WITH A CYCLONIC **CONVEYOR CONE, FINE DUST IN MICROFIBER BAG OF HIGH RESISTANCE** OR LIQUID WITH A **MECHANICAL STOP WHEN** THE TANK IS FULL
- **MANUAL FILTER SHAKER**









MOST FREQUENTLY USE

GENERIC DIRTY: 95%

GRANULAR SOLIDS: 85%

SAND MATERIAL: 75%

MIXTURES WITH WATER: 75%

FINE DUST: 50%

OIL NOT FLAMMABLE: 40%

BULKY MATERIALS: 20%

COMBUSTIBLE DUST: 0%

SPECS



STAR-SHAPED FILTER



FLOATER FOR LIQUIDS AND SAFETY MESH



DETACHABLE TANK



CONVEYOR CONE WITH COLLECTING BAG



HEPA H14 CARTRIDGE AND CONDUCTIVE PREFILTER



MANUAL FILTER SHAKER

TECHNICAL DATA

GS 3/50 OPT W&D MFS

			ITY

Usage		Wet&Dry
Motor		3
Type of motor		2 stages
Nominal Power	W	3000
Voltage / Frequency	V / Hz	220-240 / 50-60
Waterlift	mmh_20	2300
Airflow	m³/h	600
Tank Gross Capacity	l	50
Tank material		Stainless Steel
Cable length	m	8
Filtering surface	cm²	12000+2200
Sound Pressure Level	dB(A)	76
Diameter of inlet	mm	60
Weight	kg	68
Dimensions	mm	580x700x1150

STANDARD EQUIPMENT

CLASS L STAR-SHAPED FILTER 12.000 cm²



PCB PREFILTER WITH CONDUCTIVE CARBON FOILS



HEPA H14 CARTRIDGE



CLASS M FLEECE BAG



CONVEYOR CONE FOR CYCLONIC EFFECT AND FILTER PROTECTION



FLOATING SYSTEM FOR LIQUID RECOVERY



OPTIONAL ACCESSORIES

CLASS M STAR SHAPED FILTER 12.000 cm² RESISTANT TO 150°C



CLASS M WASHABLE CARTRIDGE



CLASS M PAPER BAG - 10 PCS



MESH FILTER



FIXING SYSTEM FOR MESH FILTER AND CARTRIDGE



OPTIONAL ACCESSORIES KIT

COMPLETE MULTIPURPOSE PREMIUM TOOL KIT 3 M Ø38 MM COMPOSED OF:

CONDUCTIVE PU FLEXIBLE HOSE 3 m Ø38 mm

PLASTIC TUBE 50 cm (MACHINE COMES WITH 2 PCS)

DOUBLE STEEL WAND Ø38 mm

FLAT LANCE Ø38 mm

ROUND BRUSH Ø38 mm











BRUSH Ø38 MM WITH INTERCHANGEABLE



COMPLETE MULTIPURPOSE PREMIUM TOOL KIT 4 M Ø50 MM COMPOSED OF:

HOSE 4 m Ø50 mm

CONDUCTIVE PU FLEXIBLE COMPLETE ALUMINIUM DOUBLE WAND Ø50 mm **RUBBER FLAT LANCE** Ø50 mm

BRISTLE BRUSH Ø50 mm

SQUEEGEE X2 PCS











COMPLETE STATIC DISSIPATIVE TOOL KIT 5 M Ø50 MM COMPOSED OF:

CONDUCTIVE FLEXIBLE HOSE 5 m Ø50 mm

COMPLETE ALUMINIUM DOUBLE WAND Ø50 mm

RUBBER FLAT LANCE Ø50 mm

BRISTLE BRUSH Ø50 mm









COMPLETE OIL&ABRASIVES TOOL KIT 4 M Ø38MM COMPOSED OF:

CONDUCTIVE FLEXIBLE HOSE 4 m Ø40 mm

DOUBLE STEEL WAND Ø38 mm

BRUSH Ø38 mm WITH IN-**TERCHANGEABLE SLIDES**

CHROMED FLAT LANCE Ø38 mm









COMPLETE STATIC DISSIPATIVE TOOL KIT 4,5 M Ø38 MM COMPOSED OF:

CONDUCTIVE FLEXIBLE HOSE Ø38-60 WITH CUFFS 4,5 m

DOUBLE STEEL WAND Ø38 mm

BRISTLE BRUSH Ø38 mm

CHROMED FLAT LANCE Ø38 mm







